



Daily Situation Report (Sit-Rep) on Guages and Water Discharge
Provincial Disaster Management Authority (PDMA)

Board of Revenue
Government of the Punjab



PDMA PUNJAB WATER DISCHARGE DATA (6 HOURLY)

DATE 05-09-2021

TIME: 23:59 HOURS

River	Site	Discharge Capacity	FLOOD LIMIT IN LAC CUSCES					Up Stream	Down Stream	Position
			Low	Med.	High	Very High	Exc. High			
INDUS	TARBELA	15	2.5	3.75	5	6.5	8	88000	158500	Normal
	KALABAGH	9.5	2.5	3.75	5	6.5	8	180748	173748	Normal
	CHASHMA	9.5	2.5	3.75	5	6.5	8	184974	164136	Normal
	TAUNSA	10	2.5	3.75	5	6.5	8	155163	135882	Normal
JHELUM	MANGLA	10.6	0.75	1.1	1.5	2.25	3	15000	41425	Normal
	RASUL	8.5	0.75	1.1	1.5	2.25	3	41710	19705	Normal
	KHUSHAB Bridge	-	-	-	-	-	-	-	14373	Normal
CHENAB	MARALA	11	1	1.5	2	4	6	30485	5000	Normal
	KHANKI	8	1	1.5	2	4	6	7523	NIL	Normal
	QADIRABAD	8.07	1	1.5	2	4	6	18000	NIL	Normal
	Chiniot Bridge	-	-	-	-	-	-	-	1751	Normal
	TRIMMU	6.45	1.5	2	3	4.5	6	20385	4185	Normal
	PUNJNAD	7	1.5	2	3	4.5	6	13525	NIL	Normal
RAVI	JASSAR	2.75	0.5	0.75	1	1.5	2	-	3141	Normal
	RAVI SYPHON	4.5	0.4	0.65	0.9	1.35	1.8	-	15785	Normal
	SHAHDARA	2.5	0.4	0.65	0.9	1.35	1.8	-	15353	Normal
	BALLOKI	2.25	0.4	0.65	0.9	1.35	1.8	28500	NIL	Normal
	SIDHNAI	1.5	0.3	0.45	0.6	0.9	-	17483	1983	Normal
SUTLEJ	G. S. WALA	21.5 ft Gauge	19.5	21.5	23.3	25.3	-	-	-	-
	SULEIMANKI	3.25	0.5	0.8	1.2	1.75	2.75	15418	2035	Normal
	ISLAM	3	0.5	0.8	1.2	1.75	2.75	700	NIL	Normal
	MAILSI SYPHON	-	0.5	0.8	1.2	1.75	2.75	NIL	NIL	-
NULLAHS	BEIN	Shakar Garh	1600	3000	24000	26000	43000	-	381	Normal
	DEG	Kingra	10000	15000	22000	30000	33000	-	220	Normal
	AIK	URA	4100	4700	7500	11600	17800	-	165	Normal
	BASANTER	Narowal	3600	7500	15000	30000	35000	-	NIL	Normal
	PALKHU	Wazirabad	2500	3100	5000	25000	26000	-	270	Normal
	LAI	Katarian Gowalmandi	-	-	-	-	-	-	5ft 4ft	Normal Normal
Rajanpur Hill Torrents	KAURA	-	-	-	-	-	-	-	-	-
	Vidor	-	-	-	-	-	-	-	-	-
	Sori Lund	-	-	-	-	-	-	-	-	-
	Mithawan	-	-	-	-	-	-	-	-	-
D.G.KHAN Hill Torrents	VAHOVA	-	-	-	-	-	-	-	-	-
	CHACHAR	-	-	-	-	-	-	-	-	-
	KAHA	-	-	-	-	-	-	-	-	-
	SAKHI SARWAR	-	-	-	-	-	-	-	-	-
	SANGHAR	-	-	-	-	-	-	-	-	-
	PITOK	-	-	-	-	-	-	-	-	-
	ZANGI	-	-	-	-	-	-	-	-	-

3rd Shift Incharge
Control Room, PDMA